

HUMAN IRIS USING NEURAL NETWORK

**Dr.E.Punarselvam¹, Mr.S.Gopi²,M.Hariharan³, T.Hariharan³, M.Karthi³,
J.Vimalaadhithyan³,**

E-Mail:1.hod.it@mec.edu.in,punarselvam83@gmail.com,2.gopi.s.it@mec.edu.in

1. Head of the department, 2.Assistant Professor, 3.Final Year student

Department of Information Technology, Muthayammal Engineering College, Tamilnadu

ABSTRACT

Multi-biometric systems are being increasingly deployed in many large-scale biometric applications because they have several advantages such as lower error rates and larger population coverage compared to uni-biometric systems. However, multi-biometric systems require storage of multiple biometric templates (e.g., fingerprint, iris, and face) for each user, which results in increased risk to user privacy and system security. Traditional iris segmentation methods provide good results good result when iris images are recorded ideal imaging conditions. However the segmentation accuracy of an iris recognitions system considerably influences its performance especially in the case of non ideal iris images, iris datasets are collected from online for the further processes which are recorded in the visible and infrared imaging conditions are used, then fusion of an expanding and a shrinking active contour is developed for the iris segmentation by integration of a new pressure force on the active contour model. That is Active Contour Force (ACF) model is used for segmentation .To isolate the boundaries of an iris. Un circle normalization schema is employed to get normalized image from the segmented image.

Keywords: Language Integrated Query, Convolutional Neural Networks, Common Type System.

1.INTRODUCTION

Iris segmentation based on a possible fuzzy method is used to identify the local vectors already available algorithms use two circular templates to identify the eye but are not in a standard circle show that leads to iris legacy and difficult to find proper identification edge detection method proposed to identify the iris and pupil input image from database.

k-algorithm is used to match the exact image for the given input data by making input pepsin as centric and the related pupil forming the usage position the eye images the method provides the effective adaptation technique to detect pupil and it can increase the accuracy for iris resonation.

A physiological characteristic is relatively stable physical properties such as fingerprint iris, facial, hand shadow image the type of measurement is fundamentally

invariable and unchangeable without substantial compulsion. In this application a secure manner the person or the object itself is a password user verification system that use a single biometric display are disrupted by noisy data limited freedom degrees and error rates several biometrics attempt to overcome these drawbacks by providing multiple identity features of the same identity so that performance can be increased.

The human iris can be tested frequently throughout time its permanent and invariant only when the individual has not consumed alcohol comprises of unique iris pattern even the left and right iris of an individual varies iris recognition based personal authentication system is known to be reliable over biometric methods identifying two people with same pattern probability is more over zero.

Traditional iris segmentation methods provide good results. When iris image are

recorded under ideal imaging conditions check the segmentation accuracy of an iris recognition system considerably influence the Active countthe method is used for conidial iris image algorithm for count the model describe the bounders of shape in a images.

2. EXISTING SYSTEM

- Traditional iris recognition methods cannot achieve high identification rate using these low-quality images
- To enhance the performance of mobile identification, develop a deep feature fusion network that exploits the complementary information presented in iris and periocular regions
- This model requires much fewer storage spaces and computational restheces than general CNN

2.1 DISADVANTAGES

1) **Intrusion attack:** If an attacker can hack into a biometric database, he can easily obtain the stored biometric information of a user. This information can be used to gain unauthorized access

to the system by either reverse engineering the template to create a physical spoof orreplaying the stolen template.

2) **Function creep:** An adversary can exploit the biometric template information for unintended purposes leading to violation of user privacy. Security of multi-biometric templates is especially crucial as contain information regarding multiple traits of the same user.

3. PROPOSED SYSTEM

- The segmentation accuracy of an iris recognitions system considerably influences its performance especially in the case of non ideal iris images iris datasets are collected from online for the further processes which are recorded in the visible and infrared imaging conditions are used then fusion of an expanding and a shrinking active countthe is developed for the iris Segmentation by integration of a new pressure force on the active countthe model

- That is Active Countthe Force (ACF) model is used for segmentation To isolate the boundaries of an iris. Uncircle normalization schema is employed to get normalized image from the segmented image

3.1 ADVANTAGES

- Compared to uni-biometric systems that rely on a single biometric trait, multi-biometric systems can provide higher recognition accuracy and larger population coverage
- Consequently, multi-biometric systems are being widely adopted in many large-scale identification systems

4. SYSTEM ARCHITECTURE




Fig no : Architecture diagram

- A system architecture or systems architecture is the computational design that defines the structure and/or behaviour of a system
- An architecture description is a formal description of a system, organized in a way that supports reasoning about the structural properties of the system. It defines the system components or building blocks and provides a plan from which products can be procured, and systems developed , that will

work together to implement the overall system

5. METHODOLOGY

- IRIS feature Module
- Feature-Level Fusion Module
- Secure data forwarding Module
- Performance Evaluation Module

IRIS feature Module

The feature extraction module adopts the wavelet transform as the discriminating features. Similarity between two iris images is estimated using Euclidean distance measures. Features extracted using higher level wavelet decompositions are shown to yield better clustering and higher success rate in recognition.. The proposed method includes three modules: image preprocessing, feature extraction and recognition modules.

Feature-Level Fusion Module

Feature-level fusion, the feature sets originating from multiple biometric sources are consolidated into a single feature set by

the application of appropriate feature normalization, transformation, and reduction schemes and process of combining two feature vectors to obtain a single feature vector, which is more discriminative than any of the input feature vectors. CCAFUSE applies feature level fusion using a method based on Canonical Correlation Analysis.

Secure data forwarding Module

General encryption schemes protect data confidentiality. In the proposed system a secure distributed storage system is formulated by integrating a threshold proxy re-encryption scheme with a decentralized erasure code. The distributed storage system not only supports secure and robust data storage and retrieval, but also lets a user forward data from one user to another without retrieving the data back. The method fully integrates encrypting, encoding, and forwarding. The proposed system is applied for military and hospital applications, then other secret data transmission

Performance Evaluation Module

The performance management process offered by HeRMeS® is built on the principle of disaggregation and transformation of the strategic goals into operational objectives and translation of defined organizational values into desired behaviors in the workplace. It is composed of multiple steps and elements that can be modeled in accordance with the accepted practices within the organization and covers the phases of goal setting, performance monitoring and feedback on the overall performance of the employees.

6. CONCLUSION

The new deep network named as DeepIrisNet for iris representation. To investigate the effectiveness of DeepIrisNet, designed various experiments following unseen pair matching paradigm, using large databases. Empirically, demonstrated that DeepIrisNet significantly outperforms strong baseline based on descriptor and generalizes well to new datasets.

7. FUTURE ENHANCEMENTS

The additional computation that needs to be carried out can be Modulo

multiplications to be done for encryption/decryption and inner product, and the additional time spent in the computation of random numbers, products, and sums. Consider a biometric with feature vector of length. In the protocol, the client needs to do encryptions for the test vector. The total run time required for all these computations together on current desktop machines is less than..

8. REFERENCES

- [1] DeepIrisNet Deep Iris Representation with Applications in Iris Recognition and Cross Sensor Iris Recognition AbhikGangwar, Akanksha Joshi.2018.
- [2] E.Punarselvam,“Privacy and Secured Multiparty Data Categorization using Cloud Resources”, International Journal of Innovative Research in Science, Engineering and Technology, ISSN(Online) : 2319 –

8753,ISSN (Print) : 2347-6710 Vol. 4, Special Issue 6,May 2015,pp 336-343.

[3] Fusion of Iris and Periocular Biometrics for Cross-Sensor Identification Author: Lihu Xiao, Zhenan Sun, and Tieniu Tan As a reliable personal identification 2016

[4] FIRME: Face and Iris Recognition for Mobile Engagement Author: Maria De Marsico Chiara Galdi Michele Nappi Daniel Riccioc 2014.

[5] Ordinal Measures for Iris and cross-sensor iris recognition Author Galdi Michele, and Tieniu Tan, Fellow, 2014.

[6] Ordinal Measures for Iris Recognition Author: Zhenan Sun, Member, and Tieniu Tan, Fellow, 2012.

[7] Dr.E.Punarselvam, "Supervised and Semi Supervised Machine Learning Clustering Algorithm based on feature selection", International Journal on Applications in Information and Communication Engineering, Volume 5 : Issue 2: November 2019, PP 19 – 24, ISSN (Online) : 2394 – 6237

[8] Dr.E.Punarselvam, "Effective and Efficient Traffic Scrutiny in Sweet Server with Data Privacy", International Journal on Applications in Information and Communication Engineering Volume 5 : Issue 2: November 2019, PP 1 – 5 [9] Towards Online Iris and Periocular Recognition under Relaxed Imaging Constraints. Author: Chun-Wei Tan, Ajay Kumar 2009.

[10] E.Punarselvam, "Big Data using Hadoop Database using python Language to implement Real Time Applications", International Journal of Engineering Research and development, Vol.8 Issue No.12 Oct 2013 PP(19-22) e-ISSN:2278-067X,p-ISSN:2278-800X.